SUMMARY: The U.S. Automotive Parts Advisory Committee (the "Committee") advises U.S. Government officials on matters relating to the implementation of the Fair Trade in Auto Parts Act of 1988. The Committee: (1) Reports annually to the Secretary of Commerce on barriers to sales of U.S.-made auto parts and accessories in Japanese markets; (2) assists the Secretary in reporting to the Congress on the progress of sales of U.S.-made auto parts in Japanese markets, including the formation of long-term supplier relationships; (3) reviews and considers data collected on sales of U.S.-made auto parts to Japanese markets; (4) advises the Secretary during consultations with the Government of Japan on these issues: and (5) assists in establishing priorities for the Department's initiatives to increase U.S.-made auto parts sales to Japanese markets, and otherwise provide assistance and direction to the Secretary in carrying out these initiatives. At the meeting, committee members will receive briefings on the status of ongoing consultations with the Government of Japan and will discuss specific trade and sales expansion programs related to U.S.-Japan automotive parts policy.

DATE AND LOCATION: The meeting will be held on Thursday, February 9, 1995 from 11:00 a.m. to 2:30 p.m. at the U.S. Department of Commerce in Washington, D.C.

FOR FURTHER INFORMATION CONTACT: Dr. Robert Reck, Office of Automotive Affairs, Trade Development, Main Commerce, Room 4036, Washington, D.C. 20230, telephone: (202) 482–1418.

SUPPLEMENTARY INFORMATION: The Assistant Secretary for Administration, with the concurrence of the General Counsel formally determined on July 5, 1994, pursuant to Section 10(d) of the Federal Advisory Act, as amended, that the series of meetings or portions of meetings of the Committee and of any subcommittee thereof, dealing with privileged or confidential commercial information may be exempt from the provisions of the Act relating to open meeting and public participation therein because these items are concerned with matters that are within the purview of 5 U.S.C. 552b(c)(4) and (9)(B). A copy of the Notice of Determination is available for public inspection and copying in the Department of Commerce Records Inspection Facility, Room 6020, Main Commerce.

Dated: January 23, 1995.

Henry P. Misisco,

Director, Office of Automotive Affairs. [FR Doc. 95–2125 Filed 1–26–95; 8:45 am] BILLING CODE 3510–DR-P

National Institute of Standards and Technology

[Docket No. 940541-4339]

RIN 0693-AB30

Approval of Federal Information Processing Standards Publication 153–1, Programmer's Hierarchical Interactive Graphics System (PHIGS)

AGENCY: National Institute of Standards and Technology (NIST), Commerce. **ACTION:** The purpose of this notice is to announce that the Secretary of Commerce has approved a revised standard, which will be published as FIPS Publication 153–1, Programmer's Hierarchical Interactive Graphics System (PHIGS).

SUMMARY: On June 17, 1994 (59 FR 31209–31214), notice was published in the **Federal Register** that a revision to Federal Information Processing Standard 153, Programmer's Hierarchical Interactive Graphics System (PHIGS) was being proposed for Federal use.

The written comments submitted by interested parties and other material available to the Department relevant to the revised standard was reviewed by NIST. On the basis of this review, NIST recommended that the Secretary approve the revised standard as a Federal Information Processing Standards Publication, and prepared a detailed justification document for the Secretary's review in support of that recommendation.

The detailed justification document which was presented to the Secretary is part of the public record and is available for inspection and copying in the Department's Central Reference and Records Inspection Facility, Room 6020, Herbert C. Hoover Building, 14th Street between Pennsylvania and Constitution Avenues, NW, Washington, DC 20230.

This FIPS contains two sections: (1) An announcement section, which provides information concerning the applicability, implementation, and maintenance of the standard; and (2) a specifications section which deals with the technical requirements of the standard. Only the announcement section of the standard is provided in this notice.

EFFECTIVE DATE: This revised standard becomes effective August 1, 1995.

ADDRESSES: Interested parties may purchase copies of this revised standard, including the technical specifications section, from the National Technical Information Service (NTIS). Specific ordering information from NTIS for this standard is set out in the Where to Obtain Copies Section of the announcement section of the standard. FOR FURTHER INFORMATION CONTACT: Mr. Kevin G. Brady, telephone (301) 975–3644, National Institute of

Gaithersburg, MD 20899. Dated: January 18, 1995.

Standards and Technology,

Samuel Kramer,

Associate Director.

Federal Information Processing Standards Publication 153-1

(date)

Announcing the Standard for Programmer's Hierarchical Interactive Graphics System (PHIGS)

Federal Information Processing Standards Publications (FIPS PUBS) are issued by the National Institute of Standards and Technology after approval by the Secretary of Commerce pursuant to Section 111(d) of the Federal Property and Administrative Services Act of 1949 as amended by the Computer Security Act of 1987, Public Law 100–235.

- 1. Name of Standard. Programmer's Hierarchical Interactive Graphics System (PHIGS) (FIPS PUB 153–1).
- 2. Category of Standard. Software Standard, Graphics.
- 3. Explanation. This publication is a revision of FIPS PUB 153 and supersedes that document in its entirety. This revision provides a substantial, upward-compatible enhancement of the basic PHIGS functionality known as Plus Lumiere and Surfaces, PHIGS PLUS (ANSI/ISO 9592.1a,2a,3a,4:1992). PHIGS PLUS adds facilities for the specification of curved lines, curved and faceted surfaces, lighting and shading, and adds a mechanism for color specification to allow non-indexed color specification. Amendments to each part of the PHIGS specification detail revisions required by PHIGS PLUS. Also, each language binding of PHIGS has been amended as a result of PHIGS PLUS. The specifications and amendments that comprise the complete PHIGS standard as a result of this revision are detailed in the Specification section of this document.

In addition this revision adds a requirement for validation of PHIGS implementations using either FORTRAN or C bindings. However,

validation is currently limited to basic PHIGS functionality, and therefore does not include the new functionality of PHIGS PLUS added by this revision.

FIPS 153-1 adopts the American National Standard Programmer's Hierarchical Interactive Graphics System, ANSI/ISO 9592.1-3:1989, and ANSI/ISO 9592.1a,2a,3a,4:1992, and 9593.1:1990, 9593.3:1990, 9593.4:1991, as a Federal Information Processing Standard (FIPS). This standard specifies the control and data interchange between an application program and its graphic support system. It provides a set of functions and programming language bindings for the definition, display and modification of geometrically related objects, graphical data, and the relationships between the graphical data. The purpose of the standard is to promote portability of graphics application programs between different installations. The standard is for use by implementors as the reference authority in developing graphics software systems; and by other computer professionals who need to know the precise syntactic and semantic rules of the standard.

- 4. Approving Authority. Secretary of Commerce.
- 5. Maintenance Agency. U.S. Department of Commerce, National Institute of Standards and Technology (NIST), Computer Systems Laboratory (CSL).
 - 6. Cross Index.
- a. ANSI/ISO 9592.1:1989, Information Processing Systems—Computer Graphics—Programmer's Hierarchical Interactive Graphics System (PHIGS), Part 1, Functional Description.
- b. ANSI/ISO 9592.1a:1992, Amendment 1, Information Processing Systems—Computer Graphics— Programmer's Hierarchical Interactive Graphics System (PHIGS), Part 1, Functional Description.
- c. ANSI/ISO 9592.2:1989, Information Processing Systems—Computer Graphics—Programmer's Hierarchical Interactive Graphics System (PHIGS), Part 2, Archive File Format.
- d. ANSI/ISO 9592.2a:1992, Amendment 1, Information Processing Systems—Computer Graphics— Programmer's Hierarchical Interactive Graphics System (PHIGS), Part 2, Archive File Format.
- e. ANSI/ISO 9592.3:1989, Information Processing Systems—Computer Graphics—Programmer's Hierarchical Interactive Graphics System (PHIGS), Part 3, Clear Text Encoding of Archive File.
- f. ANSI/ISO 9592.3a:1992, Amendment 1, Information Processing Systems—Computer Graphics—

Programmer's Hierarchical Interactive Graphics System (PHIGS), Part 3, Clear Text Encoding of Archive File.

g. ANSI/ISO 9592.4:1992, Information Processing Systems—Computer Graphics—Programmer's Hierarchical Interactive Graphics System (PHIGS), Part 4, Plus Lumiere and Surfaces, PHIGS PLUS.

h. ANSI/ISO 9592.1:1990, Information Processing Systems—Computer Graphics—Programmer's Hierarchical Interactive Graphics System (PHIGS), Language Bindings, FORTRAN.

i. ISO/IEC 9593.1:1990 Tech. Corrigendum, Programmer's Hierarchical Interactive Graphics System (PHIGS), Language Bindings, FORTRAN.

j. ANSI/ISO 9593.3:1990, Information Processing Systems—Computer Graphics—Programmer's Hierarchical Interactive Graphics System (PHIGS), Language Bindings, Ada.

k. ISO/IEC 9593.3:1990, Tech. Corrigendum, Programmer's Hierarchical Interactive Graphics System (PHIGS) Language Bindings, Ada.

l. ANSI/ISO 9593.4:1991, Information Processing Systems—Computer Graphics—Programmer's Hierarchical Interactive Graphics System (PHIGS), Language Bindings, C.

7. Related Documents.

a. Federal Information Resources Management Regulations (FIRMR) subpart 201.20.303, Standards, and subpart 201.39.1002, Federal Standards.

b. Federal ADP and Telecommunications Standards Index, U.S. General Services Administration, Information Resources Management Service, (updated periodically).

c. NIST, Validated Products List: Programming Languages, Database Language SQL, Graphics, GOSIP, POSIX, Security, Published quarterly and available by subscription from the National Technical Information Service (NTIS), U.S. Department of Commerce, Springfield, VA 22161.

d. FIPS PUB 69–1, Programming Language FORTRAN, adopts ANSI X3.9–1978/R1989.

- e. FIPS PUB 119, Programming Language Ada, adopts ANSI/MIL–STD– 1815A–1983.
- f. FIPS PUB 120–1, Graphical Kernel System (GKS), adopts ANSI X3.124– 1985.
- g. FIPS PUB 128–1, Computer Graphics Metafile (CGM), adopts ANSI/ ISO 8632:1992.
- h. FIPS PUB 160, Programming Language C, adopts ANSI/ISO 9899: 1992.
- i. ANSI/ISO 8632:1992, Information Processing Systems—Computer

Graphics Metafile for the Storage and Transfer of Picture Description Information (Part 1: Functional Specifications; Part 2: Character Encoding; Part 3: Binary Encoding; Part 4: Clear Text Encoding).

j. ISO/IEC 646:1991, Information Processing—7-Bit Coded Character Set for Information Interchange.

k. ISO 2022:1986, Information Processing—ISO 7-Bit and 8-Bit Coded Character Sets—Code Extension Techniques.

l. ISO 2382/13:1984, Data Processing—Vocabulary—Part 13: Computer Graphics.

m. ISO 6093:1985, Information Processing—Representation of Numeric Values in Character Strings for Information Interchange.

n. ISO 7942:1985, Information Processing Systems—Computer Graphics—Functional Specification of the Graphical Kernel System (GKS).

o. ISO 7942/Amendment 1:1991, Computer Graphics—Graphical Kernel Systems (GKS) Functional Descriptions.

p. ISO 8805:1988, Information Processing—Computer Graphics— Graphical Kernel System (GKS–3D) Extensions Functional Description.

8. Objectives. The primary objectives of this standard are:

—To allow very highly interactive graphics application programs using 2D or 3D hierarchically structured graphics data to be easily transported between installations. This will reduce costs associated with the transfer of programs among different computers and graphics devices, including replacement devices.

 To aid the understanding and use of dynamic hierarchical graphics methods by application programmers.

—To aid manufacturers of graphics equipment by serving as a guideline for identifying useful combinations of graphics capabilities in a device.

—To encourage more effective utilization and management of graphics application programmers by ensuring that skills acquired on one job are transportable to other jobs, thereby reducing the cost of graphics programmer retraining.

To aid graphics application programmers in understanding and using graphics methods by specifying well-defined functions and names. This will avoid the confusion of incompatibility common with operating systems and programming languages.

9. Applicability. PHIGS is one of the computer graphics standards (Appendix A discusses the family of computer graphics standards) provided for use by

all Federal departments and agencies. These graphics standards should be used for all computer graphics applications and programs that are either developed or acquired for government use.

9.1 The FIPS for PHIGS is intended for use in computer graphics applications that are either developed or acquired for government use. It is specifically designed to meet the performance requirements of such demanding applications as Computer Aided Design/Computer Aided Engineering/Computer Aided Manufacturing, command and control, molecular modelling, simulation and process control. It emphasizes the support of applications needing a highly dynamic, highly interactive operator interface and expecting rapid screen update of complex images to be performed by the display system. The PHIGS PLUS functionality is designed to support graphics applications requiring lighting and shading, curved lines, curved and facetted surfaces, and non-indexed color specification.

9.2 The use of this standard is compulsory and binding when one or more of the following situations exist:

—The graphics application is very highly interactive, or contains hierarchically structured graphics data, or requires rapid modification of 2D or 3D graphics data and the relationships among the data.

—It is anticipated that the life of the graphics program will be longer than the life of the presently utilized

graphics equipment.

—The graphics application or program is under constant review for updating of the specifications, and changes may result frequently.

- —The graphics application is being designed and programmed centrally for a decentralized system that employs computers of different makes and models and different graphics devices.
- —The graphics program will or might be run on equipment other than that for which the program is initially written.
- —The graphics program is to be understood and maintained by programmers other than the original ones.
- —The graphics program is or is likely to be used by organizations outside the Federal government (i.e., State and local governments, and others).
- 9.3 Nonstandard features of implementations of PHIGS should be used only when the needed operation or function cannot reasonably be implemented with the standard features alone. Although nonstandard features

can be very useful, it should be recognized that the use of these or any other nonstandard elements may make the interchange of graphics programs and future conversion more difficult and costly.

10. Specifications. American National Standard Programmer's Hierarchical Interactive Graphics System, ANSI/ISO 9592.1–3:1989 and ANSI/ISO 9592.1a,2a,3a,4:1992, define the scope of the specifications, the syntax and semantics of the PHIGS elements and requirements for conforming implementations. All of these specifications apply to Federal Government implementations of this standard.

ANSI/ISO 9592.1–3:1989 and ANSI/ISO 9592.1a,2a,3a,4:1992 define a language independent nucleus of a graphics system for integration into a programming language. Thus, it is embedded in a language layer obeying the particular conventions of the language. FIPS 153–1 is therefore divided into two parts. Part 1 represents the functional aspects of PHIGS. Part 1 consists of the following:

(1) Functional description (ANSI/ISO 9592.1:1989) and (ANSI/ISO 9592.1a:1992, Amendment 1)

The functional description of PHIGS provides a set of functions for the definition, display and modification of 2D or 3D graphical data. It also provides for the definition, display and manipulation of geometrically related objects, along with the modification of graphics data and the relationships between that graphical data.

(2) Archive file format (ANSI/ISO 9592.2:1989) and (ANSI/ISO 9592.2a:1992, Amendment 1)

The archive file provides a file format suitable for the storage and retrieval of PHIGS structures and structure network definitions. It allows structure definitions to be stored in an organized way on a graphical software system. And, facilitates transfer of structure definitions between different graphical software systems.

(3) Clear-text encoding (ANSI/ISO 9592.3:1989) and (ANSI/ISO 9592.3a:1992, Amendment 1)

The clear-text encoding provides a representative of the archive file syntax that is easy to type, edit and read. The file is human-readable (allows editing), human friendly (easy and natural to read) and machine readable (parsable by software).

(4) Plus Lumiere and Surfaces, PHIGS PLUS (ANSI/ISO 9592.4:1992)

The Programmer's Hierarchical Interactive Graphics System (PHIGS) Plus Lumiere and Surfaces (PHIGS PLUS) extends the basic PHIGS functionality by adding facilities for the specification of curved lines, curved and faceted surfaces, lighting and other effects such as depth modulation.

Part 2 of FIPS 153–1 consists of the bindings of PHIGS and PHIGS PLUS functions to actual programming languages, defined in ANSI/ISO 9593:1990. These bindings are developed in cooperation with the voluntary standards committees of the various languages. The following bindings currently exist, and form part 2 of FIPS 153–1:

- —The FORTRAN Language binding for PHIGS (ANSI/ISO 9593.1:1990);
- —The ADA Language binding for PHIGS (ANSI/ISO 9593.3:1990);
- —The C Language binding for PHIGS (ANSI/ISO 9593.4:1991).

Subsequent language bindings, including those for PHIGS PLUS, will be added periodically as they become available. As these bindings are approved by ANSI, each language binding will become part of this standard.

11. Implementation. Implementation of this standard involves four areas of consideration: the effective date, acquisition of PHIGS software system implementations, interpretations of PHIGS implementations, and validation of PHIGS implementations.

11.1 Effective Date. This revised standard is effective August 1, 1995. Requirements for the use of basic PHIGS functionality (defined in ANSI/ISO 9592.1–3:1989 and ANSI/ISO 9593.1:1990, 9593.3:1990, 9593.4:1991) are unchanged and continue in effect. Validation of PHIGS implementations is required after the effective date in accordance with Section 11.4.

11.2 Acquisition of Implementations. Conformance to FIPS for PHIGS is required whether PHIGS toolbox packages are developed internally, acquired as part of an ADP system procurement, acquired by separate procurement, used under an ADP leasing arrangement, or specified for use in contracts for programming services. Recommended terminology for procurement of FIPS for PHIGS is contained in the U.S. General Services Administration publication Federal ADP & Telecommunications Standard Index, Chapter 4 Part 1.

11.3 Interpretation of this FIPS. NIST provides for the resolution of questions regarding FIPS for PHIGS specifications and requirements, and issues official interpretations as needed. Procedures for interpretations are specified in FIPS PUB 29–3. All questions about the interpretation of FIPS for PHIGS should be addressed to:

Director, Computer Systems Laboratory (CSL), Attn: PHIGS Interpretation, National Institute of Standards and Technology, Gaithersburg, MD 20899, Telephone: (301) 975–3265.

11.4 Validation of PHIGS Implementations. Implementations of FIPS for PHIGS using either FORTRAN or C bindings shall be validated in accordance with NIST Computer Systems Laboratory (CSL) validation procedures for FIPS for PHIGS. Recommended procurement terminology for validation of FIPS for PHIGS is contained in the U.S. General Services Administration publication Federal ADP & Telecommunications Standards Index, Chapter 4 Part 2. This GSA publication provides terminology for three validation options: Delayed Validation, Prior Validation Testing, and Prior Validation. The agency shall select the appropriate validation option. The agency is advised to refer to the NIST publication Validated Products *List* for information about the validation status of PHIGS products. This information may be used to specify validation time frames that are not unduly restrictive of competition.

The agency shall specify the criteria used to determine whether a Validation Summary Report (VSR) or Certificate is applicable to the hardware/software environment of the PHIGS implementation offered. The criteria for applicability of a VSR or Certificate should be appropriate to the size and timing of the procurement. A large procurement may require that the offered version/release of the PHIGS implementation shall be validated in a specified hardware/software environment and that the validation shall be conducted with specified hardware/software features or parameter settings; e.g., the same parameter settings to be used in a performance benchmark. An agency with a singlelicense procurement may review the Validated Products List to determine the applicability of existing VSRs or Certificates to the agency's hardware/ software environment.

PHIGS implementations using either FORTRAN or C bindings shall be validated using the NIST PHIGS Test Suite, a suite of automated validation tests for PHIGS implementations. The NIST PHIGS Test Suite was first released in July 1990 to help users and vendors determine compliance with FIPS for PHIGS. The most recent version of the test suite will be used for validating conformance of PHIGS implementations after the effective date of FIPS PUB 153–1. The results of validation testing by the PHIGS Testing Service are published on a quarterly

basis in the *Validated Products List*, available from the National Technical Information Service (NTIS). See related documents section.

Each release of the test suite has provided additional language bindings and test cases to increase the test suite's coverage of PHIGS functionality. Version 2.1 of the NIST PHIGS Test Suite, released in April 1994, provides testing for PHIGS implementations using either the FORTRAN or C language binding. Version 2.1 does not include tests for the functionality of PHIGS PLUS added by this revision of FIPS of PHIGS.

A PHIGS Test Suite license includes all of the tests described above, documentation, and automatic notifications of approved changes to the PHIGS Test Suite for a six month period. A license for the most recent version of the PHIGS Test Suite is a necessary requirement for an organization that desires to be tested by the NIST PHIGS Testing Service after the effective date of FIPS 153–1.

Current information about the NIST PHIGS Validation Service and validation procedures for FIPS for PHIGS is available from: National Institute of Standards and Technology, Computer Systems Laboratory, Graphics Software Group, Building 225, Room A266, Gaithersburg, MD 20899, (301) 975–3265.

12. Waivers. Under certain exceptional circumstances, the heads of Federal departments and agencies may approve waivers to Federal Information Processing Standards (FIPS). The head of such agency may redelegate such authority only to a senior official designated pursuant to section 3506(b) of Title 44, United States Code.

Waivers shall be granted only when: a. Compliance with a standard would adversely affect the accomplishment of the mission of an operator of a Federal computer system, or

b. Cause a major adverse financial impact on the operator which is not offset by Governmentwide savings.

Agency heads may act upon a written waiver request containing the information detailed above. Agency heads may also act without a written waiver request when they determine that conditions for meeting the standard cannot be met. Agency heads may approve waivers only by a written decision which explains the basis upon which the agency head made the required findings(s). A copy of each such decision, with procurement sensitive or classified portions clearly identifed, shall be sent to: National Institute of Standards and Technology; Attn: FIPS Waiver Decisions,

Technology Building, Room B–154; Gaithersburg, MD 20899. In addition notice of each waiver granted and each delegation of authority to approve waivers shall be sent promptly to the Committee on Government Operations of the House of Representatives and the Committee on Governmental Affairs of the Senate and shall be published promptly in the Federal Register.

When the determination on a waiver applies to the procurement of equipment and/or services, a notice of the waiver determination must be published in the *Commerce Business Daily* as a part of the notice of solicitation for offers of an acquisition or, if the waiver determination is made after that notice is published, by amendment to such notice.

A copy of the waiver, any supporting documents, the document approving the waiver and any supporting and accompanying documents, with such deletions as the agency is authorized and decides to make under 5 U.S.C. Sec. 552(b), shall be part of the procurement documentation and retained by the agency.

13. Where to Obtain Copies. Copies of this publication are for sale by the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161. (Sale of the included specifications document is by arrangement with the American National Standards Institute. When ordering, refer to Federal Information Processing Standards Publication 153–1 (FIPSPUB153–1) and title. Payment may be made by check, money order, or deposit account.

Appendix A—The Family of Graphics Standards

The following computer graphics standards are now available to address the needs of government applications in creating, modifying, manipulating, and exchanging computer-generated pictures:

- FIPS PUB 120–1, the Graphical Kernel System (GKS), which adopts ANSI X3.124–1985;
- FIPS PUB 153–1, the Programmer's Hierarchical Interactive Graphics System (PHIGS), which adopts ANSI/ISO 9592–1989;
- FIPS PUB 128–1, the Computer Graphics Metafile (CGM), which adopts ANSI/ISO 8632–1992 and
- FIPS PUB 177, the Initial Graphics Exchange Specification (IGES), which adopts ASME/ANSI Y14.26M-1989.

In addition, the Computer Graphics Interface (CGI) has recently become an International standard, and is expected to be issued as a FIPS. These standards fall into two categories: Application Programmer's Interface (API) standards, and Interoperability standards. The goal of API standards is to enhance the portability of graphics programs (and programmers) between installations and environments. The goal of Interoperability standards is to enable graphics data to be exchanged successfully between graphics systems and devices.

Figure 1 is a very simple reference model of a computer graphics operating environment. The model emphasizes that a graphics application program interacts with physical devices and human operators via a computer graphics environment. Figure 1 also shows that the application may receive information from an external database.

The output of the graphics program, as shown in Figure 1, is directed to a virtual graphics device (i.e., Virtual Device Interface or VDI) rather than directly to a physical device. A Device Driver provides an interface, implemented in either hardware or software, for translating virtual device commands to commands understood by a particular physical device. By substituting one device driver for

another, an application can run on a different physical device. This device independence is a central concept of this graphics reference model.

In Figure 1, the API standards reside in the box labelled the Device Independent Graphics Package. Interoperability standards are related to the boxes in Figure 1 labelled Metafile, Database and Virtual Device Interface. Figure 2 depicts the various graphics standards associated with the general model shown in Figure 1. These are discussed below.

BILLING CODE 3510-CN-M




Figure 1. Computer Graphics Reference Model




Figure 2. Standards in the Computer Graphics Reference Model

Application Programmer's Interface (API) Standards

Standards at the API promote program and programmer portability. A standard at this level specifies a set of operations on a variety of graphics objects. An API standard provides for the portability of applications across a wide range of computer hardware, operating systems, programming languages, and graphics devices. A program written to an API standard at one facility in one environment should be easily transferable to another facility in a different environment. Facility dependencies should be the major area requiring modification.

The specific functions supported by a particular API standard provide certain capabilities. The application programmer, by identifying the capabilities needed, determines the API better suited for the application. As shown in Figure 2, there are currently two graphics API standards, GKS and PHIGS.

GKS provides a functional description of a two-dimensional (2D) graphics interface. It provides the basic graphics support required by a wide variety of application requiring the production of computer-generated pictures. A procedural language binding of a functional standard specifies the exact name for each operation, its parameter sequence, and the data types for the parameters. FORTRAN, Pascal, Ada and C language bindings are parts of GKS.

GKS is suitable for use in graphics programming applications that employ a broad spectrum of graphics, from simple passive graphics output (where pictures are produced solely by output functions without interaction with an operator) to interactive applications; and which control a whole range of graphics devices, including but not limited to vector and raster devices, microfilm recorders, storage displays, refresh displays, and color displays.

PHIGS provides for the definition, display, modification, and manipulation of 2D and graphical data. It provides functionality to support storage of graphics and application data in a hierarchical form. Information may be inserted, changed, and deleted from the hierarchical data storage with the functions provided by PHIGS. Language binding specifications for PHIGS include FORTRAN, C and Ada.

PHIGS is specifically designed to meet the performance requirements of such demanding applications as Computer Aided Design/Computer Aided Engineering/Computer Aided Manufacturing, command and control, molecular modelling, simulation and process control.

Capabilities in PHIGS but not in GKS include: the centralized hierarchical data storage; the dynamic and responsive nature of interactions; the addition of a modeling capability; and support for color models other than Red-Green-Blue (RGB).

Interoperability Standards

Graphics Interoperability standards allow graphical data to be interchanged between graphics devices. As shown in Figure 2, there are three graphics interoperability standards, CGM, (future) CGI, and IGES.

CGM is used for the storage and transfer of picture description information. It enables pictures to be recorded for long term storage, and to be exchanged between graphics devices, systems, and installations. As indicated in Figure 2, the storage mechanism for CGM is in the form of a neutral file format called a metafile. The software which creates the metafile is known as a CGM Generator. The software which reads and displays a CGM metafile is known as an Interpreter.

CGM specifies a semantic interface that describes 2D graphical entities using primitives (like polyline, text, and ellipse) and attributes (like color, line width, interior style, and fonts). CGM is compatible with the specification of 2D elements in GKS. A data encoding specifies the exact sequence of bits used to represent each operation and its parameters. CGM contains three types of data stream encodings (binary, character, and clear text) to provide the implementor choices depending on the particular application.

IGES provides a method for representing and storing geometric, topological, and non-geometric product definition data that is independent of any one system. Where CGM transfers graphical pictures, IGES transfers a graphical database which can be processed to represent a picture. Thus IGES represents more than just purely graphical data. As Figure 2 indicates, the storage mechanism for IGES is in the form of a neutral format that must be translated by a Preprocessor and Postprocessor for conversion between systems. IGES permits the compatible exchange of product definition data used by various computer aided design/ computer aided manufacturing (CAD/ CAM) systems.

The future CGI standard is designed to specify the exchange of information at the Virtual Device Interface. It will provide an interface between the device independent and device dependent parts of a graphic system. Since CGI contains information at a vitual level, it can be used to create a CGM. A CGM can also be output on a CGI device in a straightforward manner.

[FR Doc. 95–2103 Filed 1–26–95; 8:45 am] BILLING CODE 3510–CN–M

[Docket No. 940386-4338] RIN 0693-AB22

Approval of Federal Information Processing Standards Publication 172–1, VHSIC Hardware Description Language (VHDL)

AGENCY: National Institute of Standards and Technology (NIST), Commerce.

ACTION: The purpose of this notice is to announce that the Secretary of Commerce has approved a revised standard, which will be published as FIPS Publication 172–1, VHSIC Hardware Description Language (VHDL). This FIPS adopts language specifications contained in ANSI/IEEE 1076–1993, IEEE Standard VHDL Language Reference Manual.

SUMMARY: On April 12, 1994 (59 FR 17336–17338), notice was published in the **Federal Register** that a revision to Federal Information Processing Standard 172, VHSIC Hardware Description Language (VHDL) was being proposed for Federal use.

The written comments submitted by interested parties and other material available to the Department relevant to the revised standard was reviewed by NIST. On the basis of this review, NIST recommended that the Secretary approve the revised standard as a Federal Information Processing Standards Publication, and prepared a detailed justification document for the Secretary's review in support of that recommendation.

The detailed justification document which was presented to the Secretary is part of the public record and is available for inspection and copying in the Department's Central Reference and Records Inspection Facility, Room 6020, Herbert C. Hoover Building, 14th Street between Pennsylvania and Constitution Avenues, NW, Washington, DC 20230.

This FIPS contains two sections: (1) An announcement section, which provides information concerning the applicability, implementation, and maintenance of the standard; and (2) a specifications section which deals with the technical requirements of the standard. Only the announcement section of the standard is provided in this notice.

EFFECTIVE DATE: This revised standard becomes effective May 1, 1995. Prior to